

Certificate of Analysis

Compliance Test

Client Information:

Collective Society
2433 S Broadway
Santa Ana, CA 92707

Batch # #BSGHCTH626050
Batch Date: 2025-06-07
Extracted From: Hemp

Test Reg State: Georgia

Order # TOP250507-042001
Order Date: 2025-06-07
Sample # AAGR762

Sampling Date: 2025-06-07
Lab Batch Date: 2025-06-08
Completion Date: 2025-06-14

Initial Gross Weight: 73.378 g

Number of Units: 4
Net Weight per Unit: 2000.000 mg



Product Image



Potency
Tested



HHCP
Tested



Pathogenic Microbiology
Passed



Heavy Metals
Passed



Mycotoxins
Passed



Pesticides
Passed



Residual Solvents
Passed



Moisture
Tested



Microbiology (qPCR)
Passed



Filth and Foreign
Passed

Potency (LCUV) (GA) + Potency 25 (LCUV)

Specimen Weight: 1637.630 mg

Analyte	Dilution (1:n)	LOD (mg/g)	LOQ (%)	Result (mg/g)	(%)
Delta-8 THC	15.000	2.60E-5	0.0125	156.4900	15.6490
Delta9-THCP *	15.000	1.17E-5	0.01	38.1400	3.8140
CBDA	15.000	1.00E-5	0.0125	35.8500	3.5850
CBD	15.000	5.40E-5	0.0125	23.6200	2.3620
Delta-8 THCV	15.000	4.00E-5	0.0125	3.1000	0.3100
CBNA	15.000	9.50E-5	0.0125	2.7000	0.2700
CBCA	15.000	1.07E-4	0.0125	2.5000	0.2500
CBGA	15.000	8.00E-5	0.0125	2.3400	0.2340
CBN	15.000	1.40E-5	0.0125	2.0900	0.2090
CBG	15.000	2.48E-4	0.0125	1.2500	0.1250
CBT	15.000	2.00E-4	0.0125	0.8300	0.0830
Delta8-THCP *	15.000	3.75E-4	0.0125	0.6200	0.0620
CBDVA	15.000	1.40E-5	0.0125	0.3800	0.0380
Delta-9 THC	15.000	2.80E-4	0.075	<LOQ	<LOQ
Delta-9 THC-O Acetate	15.000	7.70E-5	0.025	<LOQ	<LOQ
Exo-THC	15.000	2.30E-4	0.0125	<LOQ	<LOQ
CBC	15.000	2.76E-5	0.075	<LOQ	<LOQ
CBDV	15.000	6.50E-5	0.0125	<LOQ	<LOQ
CBL	15.000	3.50E-5	0.0125	<LOQ	<LOQ
Delta-8 THC-O Acetate	15.000	2.70E-5	0.025	<LOQ	<LOQ
THCA-A	15.000	3.20E-5	0.0125	<LOQ	<LOQ
THCB *	15.000	1.80E-4	0.0163	<LOQ	<LOQ
THCH *	15.000	3.50E-4	0.0163	<LOQ	<LOQ
THCV	15.000	7.00E-6	0.0125	<LOQ	<LOQ
THCVA	15.000	4.70E-5	0.0125	<LOQ	<LOQ
Total Active CBD	15.000			55.060	5.506
Total Active THC	15.000			<LOQ	<LOQ

Tested SOP13.001 (LCUV)



Potency Summary

Total HHC 0.189% 3.782 mg	Total Active THC None Detected
Total Active CBD 5.506% 110.12 mg	Total CBG 0.330% 6.6 mg
Total CBN 0.446% 8.92 mg	Total Cannabinoids 27.18% 543.6 mg

Summary Results determined from two distinct Potency Tests - Potency (LCUV) (GA) + Potency 25 (LCUV) Sample was oven dried before potency testing.

Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram, Client supplied the net weight of mg The results apply to the sample as received.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.

Certificate of Analysis

Compliance Test

Client Information:

Collective Society

2433 S Broadway

Santa Ana, CA 92707

Order # TOP250507-042001

Order Date: 2025-06-07

Sample # AAGR762

Batch # #BSGHCTH626050

Batch Date: 2025-06-07

Extracted From: Hemp

Test Reg State: Georgia

Sampling Date: 2025-06-07

Lab Batch Date: 2025-06-08

Completion Date: 2025-06-14

Initial Gross Weight: 73.378 g

Number of Units: 4

Net Weight per Unit: 2000.000 mg



Moisture

Specimen Weight: **N/A**

Tested
SOP13.015 (Moisture
Meter)

Analyte	Action Level (%)	Result (%)
Moisture	15	6.000



PCR Total Yeast and Mold

Specimen Weight: 1039.560 mg

Passed
SOP13.017
(qPCR)

Analyte	Action Level (cfu/g)	LOQ (cfu/g)	Result (cfu/g)
Total Yeast/Mold	100000	1000	<LOQ
Prep. By: 1161	Date: 2025-05-09 11:29:52	Analyzed By: 1161	Date: 2025-05-09 11:29:52
Reviewed By: 1179	Date: 2025-05-09 19:02:18	Lab Batch #: AAGR656-218	Date: 2025-05-09 19:02:18



Microbiology Pathogenic AE qPCR - (GA)

Specimen Weight: 1002.470 mg

Passed
SOP13.029 (qPCR)

Dilution Factor: 1.000

Analyte	Result (cfu/g)	Analyte	Result (cfu/g)
Aspergillus (Flavus, Fumigatus, Niger, Terreus)	Passed	STEC	Passed



Filtration and Foreign Material - (GA)

Specimen Weight: **N/A** Dilution Factor: 1.000

Passed
SOP13.020
(Electronic
Balance)

Analyte	Action Level (%)	Result (%)	Analyte	Action Level (%)	Result (%)
Covered Area	10	0.000	Weight %	1	0.000
Feces	0.5	0.000			

Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "M" are not ISO/IEC 17025:2017 accredited test results.



Certificate of Analysis

Compliance Test

Client Information:

Collective Society

2433 S Broadway
Santa Ana, CA 92707

Order # TOP250507-042001

Order Date: 2025-06-07

Sample # AAGR762

Batch # #BSGHCTH626050

Batch Date: 2025-06-07

Extracted From: Hemp

Test Reg State: Georgia

Sampling Date: 2025-06-07

Lab Batch Date: 2025-06-08

Completion Date: 2025-06-14

Initial Gross Weight: 73.378 g

Number of Units: 4

Net Weight per Unit: 2000.000 mg



Heavy Metals - GA

Specimen Weight: 249.140 mg

Passed
SOP13.048 (ICP-MS)

Dilution Factor: 200.690

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Arsenic (As)	4.83	100	200	<LOQ	Lead (Pb)	.58	100	500	175.135
Cadmium (Cd)	.64	100	200	<LOQ	Mercury (Hg)	11.76	100	200	<LOQ



Residual Solvents (GA-4)

Specimen Weight: 18.200 mg

Passed
SOP13.039 (GCMS-HS)

Dilution Factor: 1.000

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Butane	0.4167	53.6	800000	<LOQ	Heptane	0.0013	29.8	500000	<LOQ
Ethanol	0.0021	59.5	5000000	<LOQ	Hexane	0.068	25	100000	<LOQ



Mycotoxins

Specimen Weight: 603.500 mg

Passed
SOP13.007 (LCMS)

Dilution Factor: 2.490

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Aflatoxin B1	3.0400E-1	6	20	<LOQ	Aflatoxin G2	2.7100E-1	6	20	<LOQ
Aflatoxin B2	7.7000E-2	6	20	<LOQ	Ochratoxin A	7.5400E-1	3.8	20	<LOQ
Aflatoxin G1	3.0400E-1	6	20	<LOQ					

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "M" are not ISO/IEC 17025:2017 accredited test results.



Certificate of Analysis

Compliance Test

Client Information:
Collective Society
2433 S Broadway
Santa Ana, CA 92707
Order # TOP250507-042001
Order Date: 2025-06-07
Sample # AAGR762

Batch # #BSGHCTH626050
Batch Date: 2025-06-07
Extracted From: Hemp
Sampling Date: 2025-06-07
Lab Batch Date: 2025-06-08
Completion Date: 2025-06-14

Test Reg State: Georgia

Initial Gross Weight: 73.378 g


Number of Units: 4
Net Weight per Unit: 2000.000 mg

HHCP
Specimen Weight: 1617.630 mg

Tested
SOP13.050 (LCMS)

Dilution Factor: 7500.000

Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%)	Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%)
(9R)-HHC	3.6600E-6	0.075	<LOQ	<LOQ	CBC	2.760000E-5	0.075	<LOQ	<LOQ
(9S)-HHC	6.6000E-6	0.075	1.3400	0.134	Delta-8 THC methyl ether	2.480000E-4	0.075	<LOQ	<LOQ
(±)-9β-hydroxy-HHC	7.7800E-6	0.075	<LOQ	<LOQ	Delta-9 THC	2.8000E-4	0.075	<LOQ	<LOQ
1(R)-H4-CBD	7.330000E-7	0.15	<LOQ	<LOQ	Delta-9 THC methyl ether	1.600000E-4	0.075	<LOQ	<LOQ
1(S)-H4-CBD	6.630000E-7	0.15	<LOQ	<LOQ	H2-CBD	1.440000E-7	0.075	<LOQ	<LOQ
9(R)-HHCP	3.0900E-5	0.075	<LOQ	<LOQ	Total HHC		0.075	1.8910	0.1891
9(S)-HHCP	2.5500E-5	0.075	<LOQ	<LOQ					


Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "M" are not ISO/IEC 17025:2017 accredited test results.



Certificate of Analysis

Compliance Test

Client Information:
Collective Society
2433 S Broadway
Santa Ana, CA 92707
Order # TOP250507-042001
Order Date: 2025-06-07
Sample # AAGR762

Batch # #BSGHCTH626050
Batch Date: 2025-06-07
Extracted From: Hemp
Sampling Date: 2025-06-07
Lab Batch Date: 2025-06-08
Completion Date: 2025-05-14

Test Reg State: Georgia

Initial Gross Weight: 73.378 g

Number of Units: 4
Net Weight per Unit: 2000.000 mg

 **Pesticides - (GA)**
Specimen Weight: 603.500 mg

Passed
SOP13.007 (LCMS)

Dilution Factor: 2.490

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Abamectin	3.9900E-1	9.6	100	<LOQ	Fludioxonil	3.6000E-1	9.6	100	<LOQ
Acephate	1.4100E-1	9.6	100	<LOQ	Hexythiazox	1.1300E-1	9.6	100	<LOQ
Acequinocyl	2.1780E+0	9.6	100	<LOQ	Imazalil	2.5800E-1	9.6	100	<LOQ
Acetamiprid	1.4000E-1	9.6	100	<LOQ	Imidacloprid	4.0200E-1	9.6	100	<LOQ
Aldicarb	2.0300E-1	9.6	100	<LOQ	Kresoxim Methyl	1.8200E-1	9.6	100	<LOQ
Azoxystrobin	1.8800E-1	9.6	100	<LOQ	Malathion	2.2300E-1	9.6	100	<LOQ
Bifenazate	8.6000E-2	9.6	100	<LOQ	Metalaxyl	2.7000E-1	9.6	100	<LOQ
Bifenthrin	1.0000E-1	9.6	100	<LOQ	Methiocarb	1.1800E-1	9.6	100	<LOQ
Boscalid	5.9500E-1	9.6	100	<LOQ	Methomyl	6.4000E-2	9.6	100	<LOQ
Carbaryl	1.2200E-1	9.6	100	<LOQ	Mevinphos	9.3000E-2	9.6	100	<LOQ
Carbofuran	8.6000E-2	9.6	100	<LOQ	Myclobutanil	5.7300E-1	9.6	100	<LOQ
Chlorantraniliprole	8.4000E-2	9.6	100	<LOQ	Oxamyl	4.1000E-2	9.6	100	<LOQ
Chlordane	1.9000E+0	9.6	100	<LOQ	Paclobutrazol	1.8600E-1	9.6	100	<LOQ
Chlorpyrifos	1.0900E-1	9.6	100	<LOQ	Permethrin	6.2400E-1	9.6	100	<LOQ
Coumaphos	2.0600E-1	9.6	100	<LOQ	Phosmet	1.2700E-1	9.6	100	<LOQ
Cyfluthrin	9.8000E-1	9.6	100	<LOQ	Piperonylbutoxide	1.4900E-1	9.6	100	<LOQ
Cypermethrin	9.8500E-1	9.6	100	<LOQ	Prallethrin	1.4760E+0	9.6	100	<LOQ
Daminozide	1.6550E+0	9.6	100	<LOQ	Propiconazole	2.9400E-1	9.6	100	<LOQ
Diazinon	2.1200E-1	9.6	100	<LOQ	Propoxur	1.0000E-1	9.6	100	<LOQ
Dichlorvos	1.1300E+0	9.6	100	<LOQ	Pyridaben	1.4000E-1	9.6	100	<LOQ
Dimethoate	6.3000E-2	9.6	100	<LOQ	Spinetoram	4.2400E-1	9.6	100	<LOQ
Dimethomorph	2.5810E+0	9.6	100	<LOQ	Spiromesifen	1.2000E-1	9.6	100	<LOQ
Ethoprophos	1.5100E-1	9.6	100	<LOQ	Spirotetramat	2.1100E-1	9.6	100	<LOQ
Etofenprox	1.7200E-1	9.6	100	<LOQ	Spiroxamine	5.3300E-1	9.6	100	<LOQ
Etoxazole	8.6600E-1	9.6	100	<LOQ	Tebuconazole	2.3000E-1	9.6	100	<LOQ
Fenhexamid	5.8800E-1	9.6	100	<LOQ	Thiacloprid	1.7000E-1	9.6	100	<LOQ
Fenoxycarb	2.7400E-1	9.6	100	<LOQ	Thiamethoxam	1.7900E-1	9.6	100	<LOQ
Fipronil	3.1700E-1	9.6	100	<LOQ	Trifloxystrobin	1.3400E-1	9.6	100	<LOQ
Flonicamid	4.6600E-1	9.6	100	<LOQ					


Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "M" are not ISO/IEC 17025:2017 accredited test results.

